

Włodzimierz M. Mikulski
On principal connection like bundles

Czechoslovak Mathematical Journal, Vol. 64 (2014), No. 4, 961–967

Persistent URL: <http://dml.cz/dmlcz/144154>

Terms of use:

© Institute of Mathematics AS CR, 2014

Institute of Mathematics of the Czech Academy of Sciences provides access to digitized documents strictly for personal use. Each copy of any part of this document must contain these *Terms of use*.



This document has been digitized, optimized for electronic delivery and stamped with digital signature within the project *DML-CZ: The Czech Digital Mathematics Library* <http://dml.cz>

ON PRINCIPAL CONNECTION LIKE BUNDLES

WŁODZIMIERZ M. MIKULSKI, Kraków

(Received July 30, 2013)

Abstract. Let \mathcal{PB}_m be the category of all principal fibred bundles with m -dimensional bases and their principal bundle homomorphisms covering embeddings. We introduce the concept of the so called (r, m) -systems and describe all gauge bundle functors on \mathcal{PB}_m of order r by means of the (r, m) -systems. Next we present several interesting examples of fiber product preserving gauge bundle functors on \mathcal{PB}_m of order r . Finally, we introduce the concept of product preserving (r, m) -systems and describe all fiber product preserving gauge bundle functors on \mathcal{PB}_m of order r by means of the product preserving (r, m) -systems.

Keywords: principal bundle; principal connection; gauge bundle functor; natural transformation

MSC 2010: 58A05, 58A20, 58A32

INTRODUCTION

Let $\mathcal{M}f$ be the category of all manifolds and maps, $\mathcal{M}f_m$ the category of m -dimensional manifolds and their embeddings, \mathcal{FM} the category of all fibred manifolds and their fibred maps, \mathcal{FM}_m the category of fibred manifolds with m -dimensional bases and fibred maps with embeddings as base maps, $\mathcal{G}r$ the category of all Lie groups and their homomorphisms, \mathcal{PB}_m the category of all principal fiber bundles with m -dimensional bases and their principal bundle homomorphisms covering embeddings, \mathcal{VB} the category of vector bundles and their vector bundle maps and \mathcal{VB}_m the category of vector bundles with m -dimensional bases and their vector bundle maps covering embeddings.

By Definition 2.1 in [4], a gauge bundle functor on \mathcal{PB}_m is a covariant functor $E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ satisfying the following conditions:

- (i) *Base preservation.* For any \mathcal{PB}_m -object $P = (p: P \rightarrow M)$ with the base M the induced \mathcal{FM} -object $EP = (\pi_P: EP \rightarrow M)$ is a fibred manifold over the

same base M . For any \mathcal{PB}_m -morphism $f: P_1 \rightarrow P_2$ covering $\underline{f}: M_1 \rightarrow M_2$ the induced \mathcal{FM}_m -map $Ef: EP_1 \rightarrow EP_2$ is also over \underline{f} .

- (ii) *Locality property.* For any \mathcal{PB}_m -object $p: P \rightarrow M$ and any open subset $U \subset M$ the \mathcal{FM} -map $Ei_U: E(P|_U) \rightarrow EP$ (induced by the inclusion $i_U: P|_U \rightarrow P$) is a diffeomorphism onto $\pi_P^{-1}(U)$.
- (iii) *Regularity property.* E transforms smoothly parametrized families of \mathcal{PB}_m -morphisms into smoothly parametrized families of \mathcal{FM} -morphisms.

By Definition 2.2 and Lemma 2.3 in [4], a natural transformation $\eta: E \rightarrow E^1$ of gauge bundle functors on \mathcal{PB}_m is a family of fibred maps $\eta_P: EP \rightarrow E^1P$ covering id_M for any \mathcal{PB}_m -object $P \rightarrow M$ such that $E^1f \circ \eta_P = \eta_Q \circ Ef$ for any \mathcal{PB}_m -morphism $f: P \rightarrow Q$.

By Definition 2.5 in [4], a gauge bundle functor $E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ is of order r if the following condition is satisfied:

For any \mathcal{PB}_m -morphisms $f_1, f_2: P \rightarrow Q$ between \mathcal{PB}_m -objects $P \rightarrow M$ and Q and any $x \in M$, from $j_x^r(f_1) = j_x^r(f_2)$ it follows that $(Ef_1)|_{E_xP} = (Ef_2)|_{E_xP}$.

A gauge bundle functor $E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ is fiber product preserving if $(EP_1) \times_M (EP_2) = E(P_1 \times_M P_2)$ for any \mathcal{PB}_m -objects with the same base M (the identification is induced by the E -prolongation of the fiber product projections).

Given a \mathcal{PB}_m -object $P \rightarrow M$ with the structure Lie group G we have a principal connection bundle $QP := J^1P/G$ of P (sections of QP are in bijection with principal (right invariant) connections on P). Given a \mathcal{PB}_m -map $f: P \rightarrow P_1$ covering the embedding $\underline{f}: M \rightarrow M_1$ with the Lie group homomorphism $\nu_f: G \rightarrow G_1$, the map $J^1f: J^1P \rightarrow J^1P_1$ factorizes into the \mathcal{FM} -map $Qf: QP \rightarrow QP_1$. In this way we obtain a gauge bundle functor $Q: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order 1. It is fiber product preserving.

Given a \mathcal{PB}_m -object $P \rightarrow M$ we have the r -th order principal prolongation $W^rP := P^rM \times_M J^rP$ (see Section 15 in [2]). Any \mathcal{PB}_m -map $f: P \rightarrow P_1$ covering $\underline{f}: M \rightarrow M_1$ induces a fibred map $W^rf := P^r\underline{f} \times_{\underline{f}} J^rf: P^rM \times_M J^rP \rightarrow P^rM_1 \times_{M_1} J^rP_1$. In this way we obtain a gauge bundle functor $W^r: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r . The functor W^r is not fiber product preserving.

In the present paper, we describe all gauge bundle functors $\mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r by means of the so called (r, m) -systems. Next, we describe fiber product preserving gauge bundle functors $E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r by means of the product preserving (r, m) -systems.

All manifolds considered in the paper are assumed to be Hausdorff, finite dimensional, second countable, without boundary and smooth, i.e., of class C^∞ . Maps between manifolds are assumed to be of class C^∞ .

1. A CHARACTERIZATION OF GAUGE BUNDLE FUNCTORS ON \mathcal{PB}_m OF ORDER r
BY MEANS OF (r, m) -SYSTEMS

Using the results of Section 15 in [2] we see that in fact we have $W^r: \mathcal{PB}_m \rightarrow \mathcal{PB}_m$. Indeed, we have a functor $W_m^r: \mathcal{G}r \rightarrow \mathcal{G}r$ sending any Lie group G into its r -th order prolongation group $W_m^r G = G_m^r \times T_m^r G$ in dimension m (see Section 15 in [2]) and any Lie group homomorphism $\nu: G \rightarrow G_1$ into a Lie group homomorphism $W_m^r \nu := \text{id}_{G_m^r} \times T_m^r \nu: W_m^r G \rightarrow W_m^r G_1$ (that $W_m^r \nu$ is a Lie group homomorphism follows from the formula on prolongation group multiplication from Section 15 in [2]). Now, given a \mathcal{PB}_m -object $P \rightarrow M$ with the structure Lie group G , $W^r P$ is again a \mathcal{PB}_m -object with the structure Lie group $W_m^r G$ (see Section 15 in [2]). Moreover, given a \mathcal{PB}_m -map $f: P \rightarrow P_1$ covering $\underline{f}: M \rightarrow M_1$ and with the Lie group homomorphism $\nu_f: G \rightarrow G_1$, $W^r f: W^r P \rightarrow W^r P_1$ is a principal bundle homomorphism with the Lie group homomorphism $W_m^r \nu_f: W_m^r G \rightarrow W_m^r G_1$ (which follows from the formula on the principal prolongation bundle right actions from Section 15 in [2]). The above fact is a particular case of a more general result of [1], too.

Suppose we have a system (F, α) consisting of a regular functor $F: \mathcal{G}r \rightarrow \mathcal{M}f$ sending a Lie group G into a manifold FG and a Lie group homomorphism $\nu: G \rightarrow G_1$ into an induced map $F\nu: FG \rightarrow FG_1$, and of a family α of smooth left actions $\alpha_G: W_m^r G \times FG \rightarrow FG$ for any Lie group G . The regularity means that F transforms smoothly parametrized families of Lie group homomorphisms into smoothly parametrized families of maps.

Definition 1. A system (F, α) as above is called an (r, m) -system if for any Lie group homomorphism $\nu: G \rightarrow G_1$ the map $F\nu: FG \rightarrow FG_1$ is $(W_m^r G, W_m^r G_1)$ -invariant over $W_m^r \nu: W_m^r G \rightarrow W_m^r G_1$, i.e., $F\nu(g \cdot v) = W_m^r \nu(g) \cdot F\nu(v)$ for any $v \in FG$ and any $g \in W_m^r G$.

The system (W_m^r, β) consisting of the functor $W_m^r: \mathcal{G}r \rightarrow \mathcal{G}r$ (mentioned above) treated as the functor $W_m^r: \mathcal{G}r \rightarrow \mathcal{M}f$ and the collection β of actions $\beta_G: W_m^r G \times W_m^r G \rightarrow W_m^r G$ (defined by the prolongation group multiplication) for any Lie group G is an example of an (r, m) -system.

Given an (r, m) -system (F, α) we can construct a gauge bundle functor $E^{(F, \alpha)}: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r as follows.

Example 1. For any \mathcal{PB}_m -object P with the structure Lie group G we put

$$E^{(F, \alpha)} P = W^r P[FG, \alpha_G].$$

For any \mathcal{PB}_m -map $f: P \rightarrow P_1$ with the homomorphism $\nu_f: G \rightarrow G_1$ we put

$$E^{(F, \alpha)} f = W^r f[F\nu_f]: W^r P[FG, \alpha_G] \rightarrow W^r P_1[FG_1, \alpha_{G_1}].$$

If $\mu: (F, \alpha) \rightarrow (F^1, \alpha^1)$ is a homomorphism of (r, m) -systems (i.e., $\mu: F \rightarrow F^1$ is a functor transformation such that $\mu_G: FG \rightarrow F^1G$ is a smooth $W_m^r G$ -invariant map for any Lie group G) we have a natural transformation $\eta^{(\mu)}: E^{(F, \alpha)} \rightarrow E^{(F^1, \alpha^1)}$ given by

$$\eta_P^{(\mu)} := W^r(\text{id}_P)[\mu_G]: E^{(F, \alpha)}P \rightarrow E^{(F^1, \alpha^1)}P$$

for any \mathcal{PB}_m -object $P \rightarrow M$ with the structure Lie group G .

Conversely, suppose we have a gauge bundle functor $E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r . We construct an (r, m) -system $(F^{(E)}, \alpha^{(E)})$ as follows.

Example 2. We define a functor $F^{(E)}: \mathcal{G}r \rightarrow \mathcal{M}f$ by

$$F^{(E)}G := E_0(\mathbb{R}^m \times G) \quad \text{and} \quad F^{(E)}\nu := E_0(\text{id}_{\mathbb{R}^m} \times \nu)$$

for any Lie group G and any Lie group homomorphism $\nu: G \rightarrow G_1$. For any Lie group G we define an action $\alpha_G^{(E)}: W_m^r G \times F^{(E)}G \rightarrow F^{(E)}G$ by

$$\alpha_G^{(E)}(g, v) = E_0\varphi(v), \quad g = j_{(0, e)}^r \varphi \in W_m^r G, \quad v \in F^{(E)}G$$

(we identify elements of $W_m^r G$ with r -jets at 0 of (local) principal bundle isomorphisms with id_G as Lie group homomorphisms and covering embeddings preserving 0 as in Section 15 in [2]).

If $\eta: E \rightarrow E^1$ is a natural transformation of gauge bundle functors $E, E^1: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r we have a homomorphism $\mu^{(\eta)}: (F^{(E)}, \alpha^{(E)}) \rightarrow (F^{(E^1)}, \alpha^{(E^1)})$ of (r, m) -systems given by

$$\mu_G^{(\eta)} := (\eta_{\mathbb{R}^m \times G})_0: F^{(E)}G \rightarrow F^{(E^1)}G.$$

Clearly, the above constructions from Examples 1 and 2 are mutually inverse. In particular, a \mathcal{PB}_m -natural isomorphism $\Theta: E^{(F^{(E)}, \alpha^{(E)})} \rightarrow E$ can be given by

$$\Theta_P: E^{(F^{(E)}, \alpha^{(E)})}P \rightarrow EP, \quad \Theta_P([g, v]) := E\varphi(v), \quad g = j_0^r \varphi \in W^r P, \quad v \in F^{(E)}G$$

for any \mathcal{PB}_m -object $P \rightarrow M$ with the structure Lie group G (we identify elements of $W^r P$ with r -jets at 0 of (local) principal bundle isomorphisms $\mathbb{R}^m \times G \rightarrow P$ with id_G as the Lie group homomorphisms as in Section 15 in [2]).

In general, categories \mathcal{K}_1 and \mathcal{K}_2 are weak equivalent if there are functors $H_1: \mathcal{K}_1 \rightarrow \mathcal{K}_2$ and $H_2: \mathcal{K}_2 \rightarrow \mathcal{K}_1$ such that $H_2 \circ H_1 \cong \text{id}_{\mathcal{K}_1}$ and $H_1 \circ H_2 \cong \text{id}_{\mathcal{K}_2}$.

Thus we have proved the following theorem.

Theorem 1. *The category of gauge bundle functors $E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r and their natural transformations is weak equivalent to the category of (r, m) -systems (F, α) and their homomorphisms.*

2. THE CASE OF FIBER PRODUCT PRESERVING GAUGE BUNDLE FUNCTORS ON \mathcal{PB}_m OF ORDER r

Many important gauge bundle functors on \mathcal{PB}_m are fiber product preserving. We present several examples of such functors.

(a) The functor $J^r: \mathcal{PB}_m \rightarrow \mathcal{FM}$ sending any \mathcal{PB}_m -object $P \rightarrow M$ into its r -jet prolongation bundle $J^r P = \{j_x^r \sigma; \sigma: M \rightarrow P \text{ is a locally defined section of } P \rightarrow M\}$ and any \mathcal{PB}_m -map $f: P \rightarrow P_1$ covering $\underline{f}: M \rightarrow M_1$ into $J^r f: J^r P \rightarrow J^r P_1$ (given by $J^r f(j_x^r \sigma) = j_{\underline{f}(x)}^r(f \circ \sigma \circ \underline{f}^{-1})$) is a fiber product preserving gauge bundle functor of order r .

(b) The functor $J_v^r: \mathcal{PB}_m \rightarrow \mathcal{FM}$ sending any \mathcal{PB}_m -object $P \rightarrow M$ into its vertical r -jet prolongation bundle $J_v^r P = \{j_x^r \sigma; \sigma: M \rightarrow P_x\}$ and any \mathcal{PB}_m -map $f: P \rightarrow P_1$ covering $\underline{f}: M \rightarrow M_1$ into $J_v^r f: J_v^r P \rightarrow J_v^r P_1$, given by $J_v^r f(j_x^r \sigma) = j_{\underline{f}(x)}^r(f_x \circ \sigma \circ \underline{f}^{-1})$, is a fiber product preserving gauge bundle functor of order r .

(c) Let A be a Weil algebra of order r . The functor $V^A: \mathcal{PB}_m \rightarrow \mathcal{FM}$ sending any \mathcal{PB}_m -object $P \rightarrow M$ into its A -vertical bundle $V^A P = \bigcup_{x \in M} T^A P_x$ and any \mathcal{PB}_m -map $f: P \rightarrow P_1$ into $V^A f = \bigcup_{x \in M} T^A(f_x): V^A P \rightarrow V^A P_1$ is a fiber product preserving gauge bundle functor of order r . In particular, if $A = \mathbf{D}$ is the algebra of dual numbers, then $T^A = T$ is the tangent functor and $V^A = V: \mathcal{PB}_m \rightarrow \mathcal{FM}$ is the vertical functor.

(d) The above functors are particular cases of product preserving bundle functors $E: \mathcal{FM}_m \rightarrow \mathcal{FM}$ applied to \mathcal{PB}_m -objects and \mathcal{PB}_m -maps treated as \mathcal{FM}_m -objects and \mathcal{FM}_m -maps, respectively. The full description of fiber product preserving bundle functors $E: \mathcal{FM}_m \rightarrow \mathcal{FM}$ can be found in [3].

(e) Let $E: \mathcal{FM}_m \rightarrow \mathcal{FM}$ be a fiber product preserving bundle functor. The right action of the structure Lie group G on an \mathcal{PB}_m -object P (treated as an \mathcal{FM}_m -object) induces (in an obvious way) a right action of G on EP . Thus we have the functor $Q^E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ sending any \mathcal{PB}_m -object $P \rightarrow M$ into $Q^E P := EP/G$ and any \mathcal{PB}_m -map $f: P \rightarrow P_1$ into the quotient $Q^E f: Q^E P \rightarrow Q^E P_1$ of $Ef: EP \rightarrow EP_1$. The functor $Q^E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ is again a fiber product preserving gauge bundle functor. In particular, if $E = J^1$, then $Q^E = Q: \mathcal{PB}_m \rightarrow \mathcal{FM}$ is the principal connection bundle functor mentioned in the introduction. Below, we consider the

right invariant vertical vector field functor $Q^V: \mathcal{PB}_m \rightarrow \mathcal{FM}$ (sections of $Q^V P$ are in bijection with right invariant vertical vector fields on P). In fact, $Q^V: \mathcal{PB}_m \rightarrow \mathcal{VB}$.

(f) Let $G: \mathcal{M}f_m \rightarrow \mathcal{VB}$ be a vector bundle functor (for example the p -form bundle functor $\wedge^p T^*: \mathcal{M}f_m \rightarrow \mathcal{VB}$). Thus we have the functor $\mathcal{K}^G: \mathcal{PB}_m \rightarrow \mathcal{FM}$ sending any \mathcal{PB}_m -object $P \rightarrow M$ into (vector bundle) $\mathcal{K}^G P := GM \otimes Q^V P$ and any \mathcal{PB}_m -map $f: P \rightarrow P_1$ covering $\underline{f}: M \rightarrow M_1$ into (vector bundle) map $\mathcal{K}^G f := G\underline{f} \otimes Q^V f: \mathcal{K}^G P \rightarrow \mathcal{K}^G P_1$. The functor $\mathcal{K}^G: \mathcal{PB}_m \rightarrow \mathcal{FM}$ is a fiber product preserving gauge bundle functor. In fact, $\mathcal{K}^G: \mathcal{PB}_m \rightarrow \mathcal{VB}$. In particular, if $G = \wedge^2 T^*: \mathcal{M}f_m \rightarrow \mathcal{VB}$ we obtain the principal connection curvature functor $\mathcal{K}^G = \mathcal{K}: \mathcal{PB}_m \rightarrow \mathcal{FM}$ (the curvature tensor of a principal connection on P can be treated as a section of $\mathcal{K}P$).

(g) Let $E: \mathcal{FM}_m \rightarrow \mathcal{FM}$ be a fiber product preserving bundle functor. Thus we have the functor $E': \mathcal{PB}_m \rightarrow \mathcal{FM}$ sending any \mathcal{PB}_m -object $P \rightarrow M$ with the structure Lie group G into $E'P := E(M \times G)$ and any \mathcal{PB}_m -map $f: P \rightarrow P_1$ covering $\underline{f}: M \rightarrow M_1$ and with the Lie group homomorphism $\nu_f: G \rightarrow G_1$ into $E'f := E(\underline{f} \times \nu_f): E'P \rightarrow E'P_1$. The functor $E': \mathcal{PB}_m \rightarrow \mathcal{FM}$ is a fiber product preserving gauge bundle functor.

(h) Let $E: \mathcal{VB}_m \rightarrow \mathcal{FM}$ be a fiber product preserving gauge bundle functor (a full description of such functors can be found in [5]). Thus we have the functor $E^o: \mathcal{PB}_m \rightarrow \mathcal{FM}$ sending any \mathcal{PB}_m -object $P \rightarrow M$ with the structure Lie group G with the Lie algebra $\mathcal{L}(G)$ into $E^o P := E(M \times \mathcal{L}(G))$ and any \mathcal{PB}_m -map $f: P \rightarrow P_1$ covering $\underline{f}: M \rightarrow M_1$ with the Lie group homomorphism $\nu_f: G \rightarrow G_1$ into $E^o f := (\underline{f} \times \mathcal{L}(\nu_f)): E^o P \rightarrow E^o P_1$. The functor $E^o: \mathcal{PB}_m \rightarrow \mathcal{FM}$ is a fiber product preserving gauge bundle functor.

Definition 2. An (r, m) -system (F, α) is product preserving if $F: \mathcal{G}r \rightarrow \mathcal{M}f$ is product preserving.

It is easily seen that if (F, α) is a product preserving (r, m) -system, then the gauge bundle functor $E^{(F, \alpha)}: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r (from Example 1) is fiber product preserving. Conversely, if $E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ is a fiber product preserving gauge bundle functor of order r , then the (r, m) -system $(F^{(E)}, \alpha^{(E)})$ (from Example 2) is product preserving. Thus we have proved the following fact.

Theorem 2. *The category of fiber product preserving gauge bundle functors $E: \mathcal{PB}_m \rightarrow \mathcal{FM}$ of order r and their natural transformations is weak equivalent to the category of product preserving (r, m) -systems (F, α) and their homomorphisms.*

References

- [1] *M. Doupovec, I. Kolář*: Iteration of fiber product preserving bundle functors. *Monatsh. Math.* *134* (2001), 39–50.
- [2] *I. Kolář, P. W. Michor, J. Slovák*: *Natural Operations in Differential Geometry*. Springer, Berlin, 1993.
- [3] *I. Kolář, W. M. Mikulski*: On the fiber product preserving bundle functors. *Differ. Geom. Appl.* *11* (1999), 105–115.
- [4] *W. M. Mikulski*: Product preserving gauge bundle functors on all principal bundle homomorphisms. *Ann. Pol. Math.* *101* (2011), 163–207.
- [5] *W. M. Mikulski*: On the fiber product preserving gauge bundle functors on vector bundles. *Ann. Pol. Math.* *82* (2003), 251–264.

Author's address: Włodzimierz M. Mikulski, Institute of Mathematics, Jagiellonian University, Lojasiewicza 6, Kraków, Poland, e-mail: Wlodzimierz.Mikulski@im.uj.edu.pl.